



garaga.com

Every detail guaranteed™

A photograph of a two-story house with light-colored horizontal siding and a dark roof. A white double garage door with a large 'X' design and multiple small windows is the central focus. To the right, a white front door is visible. A curved walkway leads to the door, and a bush with red flowers is in the foreground. A semi-transparent dark grey box with the text "COMPLETE COLLECTION" is overlaid on the upper part of the image.

COMPLETE COLLECTION

Model Eastman E-21, 8' x 7', Claystone door and
Ice White overlays, Panoramic 8 lite windows

TRADITIONAL

MODEL PATTERNS AND LAYOUTS

PRESTIGE (40½" x 15")




Available for R-16insulation.

9' x 7'



Prestige XL

16' x 7'



Prestige XL

Novatech

Match your Prestige garage door with an Orleans, London or Sydney entry door from Novatech's Prestige Collection.



Model Standard+Prestige XL, 9' x 8', Moka Brown, Cachet windows/Coordinated with Orleans entry door with Cachet stained glass from Novatech's Prestige Collection

SHAKER (21" x 15")




Available for R-16insulation.

9' x 7'



Shaker CC

16' x 7'



Shaker CC



Model Standard+Shaker CC, 9' x 7', Black, Manchester windows

CLASSIC (21" x 13" and 40" x 13")



Available for R-16,R-12and R-10,R-6.6 and non-insulated.
MIX layout is not available for R-6.6 insulation and non-insulated.

9' x 7'



Classic CC

16' x 7'



Classic CC



Classic MIX



Classic MIX



Classic XL



Classic XL



Model Standard+Classic CC, 8' x 7', Ice White, Orion 4 lite windows

COLORS

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown

Available for R-16,R-12,R-10insulation. For R-6.6 insulation and non-insulated, all colors available except Dark Sand.

PREMIUM: Charcoal, Evergreen¹ and Black

Available for R-16insulation. ¹Not available for Prestige and Shaker model patterns.

WOODEFFECT: American Walnut

Available for R-16insulation.


CONTEMPORARY

MODEL PATTERNS AND LAYOUTS

VOG^P (40" x 1 1/4")



Available for R-16 insulation.




Novatech

Match your VOG^P garage door with a Vog entry door from Novatech's Design Collection.


MODERNO (3/16" continuous lines)



Available for R-16 and R-12 insulation. Moderno multi layout only for R-16 insulation.



Moderno multi




Moderno 2 beads

GROOVED (1" continuous lines)



Available for R-16 and R-12 insulation.




Grooved

FLUSH



Available for R-16, R-12 and R-10 insulation.



Flush

COLORS

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown

Available for R-16, R-12, R-10 insulation. For R-6.6 insulation and non-insulated, all colors available except Dark Sand.


PREMIUM: Charcoal, Evergreen¹ and Black

Available for R-16 insulation. ¹Not available for VOG^P model pattern.

WINDOW LAYOUTS

Visit our site at garaga.com/windowlayouts to see all available possibilities.

Available for R-16 and R-12 insulation.



Left-side Harmony



Model Standard+Vog^P, 10' x 7', Black, window layout: Left-side Harmony/Coordinated with Vog entry door from Novatech



Model Standard+Moderno Multi, 16' x 7', Ice White, window layout: Left-side Harmony



Model Standard+Flush, 10' x 7', Charcoal, Masterline windows Coordinated with entry door from Novatech, with Masterline glass


CARRIAGE HOUSE

MODEL PATTERNS AND LAYOUTS

NORTH HATLEY (19 1/4" x 15" grouped by 2 and 40 1/2" x 15") 9' x 7'



16' x 7'



Available for R-16,R-12,R-10,R-6.6 and non-insulated. North Hatley LP layout is only available for R-16and R-12.


SHAKER (8 1/2" x 14"grouped by 4)



9' x 7'



16' x 7'



Available for R-16insulation.


SHAKER-NH (40 1/2" x 15")



9' x 7'



16' x 7'



Available for R-10,R-6.6 and non-insulated.

COLORS

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown

Available for R-16,R-12,R-10insulation. For R-6.6 insulation and non-insulated, all colors available except Dark Sand.


PREMIUM: Charcoal, Evergreen¹ and Black

Available for R-16insulation. ¹Not available for Shaker and Shaker-NH model patterns.

WOODEFFECT: American Walnut

Available for R-16insulation.

FOR A CARRIAGE HOUSE LOOK, ADD DECORATIVE HARDWARE



Model Standard+Shaker XS, 9' x 7', Desert Sand, Clear windows



Model Acadia 138North Hatley SP, 9' x 7', Dark Sand, windows with Bellevue Inserts



Model Acadia 138North Hatley LP, 9' x 7', Desert Sand, windows with Richmond Inserts

TOWNSHIPS COLLECTION®

OVERLAY LAYOUTS



ARCH OVERLAY

Available for Eastman
E-11, E-12, E-13, E-21, E-22 and E-23



TRADITIONAL 9' x 7'



Eastman E-11



Eastman E-12

CONTEMPORARY 9' x 7'



Cambridge CL

CARRIAGE HOUSE 9' x 7'



Eastman E-21



Eastman E-22



Eastman E-13



Cambridge CM



Eastman E-23



Cambridge CS

COLORS

STANDARD: Ice White¹, Desert Sand¹, Claystone¹, Dark Sand and MokaBrown


PREMIUM: Charcoal, Evergreen and Black

¹Available overlay colors.

FOR A CARRIAGE HOUSE LOOK,
ADD DECORATIVE HARDWARE



Lis



Model Eastman E-13, 9' x 7', Ice White doors and overlays, Panoramic 4 vertical lite windows



Model Cambridge CM, 9' x 7', Ice White door and overlays, Panoramic 4 lite windows

SPECIALTY DOORS¹

CALIFORNIA FULL VISION DOOR THICKNESS: 1 3/4"

COLORS: White, Anodized and Black

TOP TECH TEXTURED STEEL THICKNESS: 1 3/4" POLYURETHANE R-16

MODEL PATTERNS AND LAYOUTS: 2 Grooves, 4 Grooves and Flush

COLOR: Tex White

H-TECH ALUMINUM THICKNESS: 1 3/4" POLYURETHANE R-16

MODEL PATTERNS AND LAYOUTS: Classic CC, 2 Grooves, 4 Grooves and Flush

COLORS: White, Nordic, Tundra, Terra Brown, Universal Brown and Heron Blue

¹ Consult garaga.com/specialty for all details on Specialty doors.



Model California, 16' x 7', Black aluminum frame, Satin glass


TRADITIONAL

MODEL PATTERNS AND LAYOUTS

PRESTIGE (40½" x 15")



Available for R-16insulation.




Novatech

Match your Prestige garage door with an Orleans, London or Sydney entry door from Novatech's Prestige Collection.

SHAKER (21" x 15")




Available for R-16insulation.



CLASSIC (21" x 13" and 40" x 13")



Available for R-16,R-12 and R-10, R-6.6 and non-insulated.
MIX layout is not available for R-6.6 insulation and non-insulated.



Model Standard+Prestige XL, 9' x 8', Moka Brown, Cachet windows/Coordinated with Orleans entry door with Cachet stained glass from Novatech's Prestige Collection



Model Standard+Shaker CC, 9' x 7', Black, Manchester windows



Model Standard+Classic CC, 8' x 7', Ice White, Orion 4 lite windows

COLORS

STANDARD: Ice White, Desert Sand, Claystone, Dark Sand and Moka Brown

Available for R-16,R-12,R-10insulation. For R-6.6 insulation and non-insulated, all colors available except Dark Sand.

PREMIUM: Charcoal, Evergreen¹ and Black

Available for R-16insulation. ¹Not available for Prestige and Shaker model patterns.



WOODEFFECT: American Walnut

Available for R-16insulation.

3 STEPS TO CHANGE YOUR GARAGE DOOR

1 CHOOSE YOUR STYLE

Whatever style you desire, you will find it with Garaga. Consider the different possibilities of model patterns, layouts and windows on the other side of this brochure and make a choice from among the models of our 3 different looks.



2 CHOOSE YOUR COLOR

Whether you opt for a classic color or one more modern, choose one that blends well with the other exterior features of your home.


STANDARD




Ice White[†]




Desert Sand[†]



Claystone[†]



Dark Sand



Moka Brown


PREMIUM



Charcoal



Evergreen



Black

WOODEFFECT



American Walnut

Consult the Summary for availability of colors by model.

PREMIUM and WOODEFFECT COLORS: low additional fees apply.

[†]Colors of overlays available for Township Collection garage doors.



GENTEK'S EQUIVALENT ALUMINUM CAPPING

Ice White similar to Ice White #429
Desert Sand similar to Almond #532
Claystone similar to Pebble #559
Dark Sand similar to Sable #547
Moka Brown similar to Commercial Brown #562

Charcoal similar to Slate #523
Evergreen similar to Bonnevill Green #598
Black similar to Black #525
American Walnut: N/A

3 CHOOSE YOUR CONSTRUCTION

From among our varied garage door compositions, you are sure to find the insulation level (R value) and air infiltration performance (transfer of heat or cold between inside and outside) that you require.

R-16 AND R-12 THERMAL INSULATION

MODEL: TOWNSHIP COLLECTION, STANDARD+, ACADIA 138, H-TECH AND TOP TECH

1 INTERLOK™ JOINT

⚡ Located between sections, this joint blocks air infiltration due to its triple-contact weatherseal.

🔧 Makes sections very strong as it is mechanically interlocked and not bonded.

2 WOOD END BLOCKS

⚡ One of the most effective thermal breaks, they eliminate any transfer of cold or heat between materials.

3 REINFORCED METAL PLATES

🔧 With 14-gauge thickness, they are used to solidly attach hinges, handles and operator bracket.

4 HIGH-PERFORMANCE WEATHERSTRIPPING

⚡ Our weatherstripping ensures increased weathertightness and stays flexible through the coldest temperatures.


5 POLYURETHANE

⚡ High-pressure injected foam provides R-16 thermal resistance for 1 3/4" doors or R-12 for 1 1/2" doors.

🔧 Because it adheres to the section walls, it provides a high level of rigidity to the door.

6 CONTINUOUS WOODGRAIN

👉 Up close or at a distance, our embossed woodgrain finish is flawless and very refined.



RUGGED & DURABLE



THERMALLY EFFICIENT



REFINED DESIGN

R-10 THERMAL INSULATION



MODEL: TRIFORCE

1 Polystyrene insulation bonded to 2 steel panels and grooved to match the embossed panel for more strength.

2 InterStop™ joints prevent air infiltration and are firmly attached to sections.

3 Wood end blocks are one of the most effective thermal breaks.

R-6.6 INSULATION OR NON-INSULATED



MODELS: DUALFORCE AND UNIFORME

1 24-gauge galvanized steel with a coat of baked-on paint for a high durability door.

2 Polystyrene insulation available as an option for an insulation value of R-6.6.

YOUR GARAGA DOOR IN 3 STEPS



CHOOSE THE STYLE

So that your garage door is exactly what you want, choose from our traditional, contemporary and carriage house styles. Next, select your windows from among our many available models.



CHOOSE THE COLOR

To coordinate your garage door with your entry door, or to add an interesting element to the front of your home, choose one that pleases you from our stylish colors.



CHOOSE THE INSULATION

We offer 5 choices of thermal insulation. Select the one best suited to how you will use your garage.



GARAGA®

8500 25th Avenue
Saint-Georges QC
G6A 1K5
Canada

418 227-9458
info@garaga.com
garaga.com


logo FSC




YOUR
GARAGA
DISTRIBUTOR

1 CHOOSE YOUR STYLE

Whatever style you desire, you will find it with Garaga. Consider the different possibilities of model patterns, layouts and windows on the other side of this brochure and make a choice from among the models of our 3 different looks.



TRADITIONAL



CONTEMPORARY



CARRIAGE HOUSE

Door Openers

LiftMaster®

Make your life easier by choosing a silent and durable LiftMaster door opener.

ELITE SERIES



- Ultra-quiet
- Drive system: belt or chain
- ¾ HP, power: AC or DC



- Ultra-quiet
- Drive system: jackshaft
- Power: DC

PREMIUM SERIES



- Quiet
- Drive system: belt or chain
- ¾ HP, power: AC or DC

USEFUL ACCESSORIES



KEYLESS AND WIRELESS ENTRY SYSTEM

- Open or close your garage door without using a remote control and program it with a 4-digit code.



MINI REMOTE CONTROL

- Perfect for purse or keychain


Consult garaga.com to view all available accessories.

myQ[®] Technology

allows you to access, activate and monitor your garage door opener for greater control and security of your home.



TAKE MEASUREMENTS



1) Measure existing door opening's width **A** and height **B** in feet and inches. This determines the size of door needed. Never base your measurements on the size of the existing door but on the door's opening instead.

2) Measure for sideroom, left side **C** and right side **D**.

- 6 inches is required on each side for installation of vertical track.
- Make sure no entry door will interfere with the horizontal track of the door.

3) Measure area labeled "headroom" **E**. Distance between the top of the door opening and the ceiling (or floor joist);

- 8 1/2" is required for standard extension spring.
- 12" is required for standard torsion spring.
- Add 2" more for electric opener.
- If you have restricted headroom, special hardware is available.

NOTE: If door height extends above the opening, the headroom measurement should be taken from the top of the top section to the ceiling.

4) Measure area labeled "backroom" **F**. Distance is measured from the garage door opening toward the back wall of the garage.

- Door height plus 28" is required.
- Additional backroom (door height +48") may be required for installation of an automatic garage door opener.
- Make sure no lighting or other material will interfere with the door sections when moving.

Getting the opening ready

1) Make sure the size of the opening matches the size of the door.
For example: a door of 9' x 7' needs an opening of 9' wide by 7' high.

2) The position of the header and back jambs (2" x 6") are very important. The header must be flush with back jambs (on the same plane). The back jambs must be perpendicular, plumb and square.

For more details, visit garaga.com/measures

YOUR GARAGA DOOR IN 3 STEPS



CHOOSE THE STYLE

So that your garage door is exactly what you want, choose from our traditional, contemporary and carriage house styles. Next, select your windows from among our many available models.



CHOOSE THE COLOR

To coordinate your garage door with your entry door, or to add an interesting element to the front of your home, choose one that pleases you from our stylish colors.



CHOOSE THE INSULATION

We offer 5 choices of thermal insulation. Select the one best suited to how you will use your garage.



8500 25th Avenue
Saint-Georges QC
G6A 1K5
Canada

418 227-9458
info@garaga.com
garaga.com

logo FSC



YOUR
GARAGA
DISTRIBUTOR